


TMS-C300Ext

Designed for the MiR250 to support internal transport of pallets, skids, boxes etc. without compromising safety. The pallets etc. can have a lengths up to 1,2 m.
With MiR250 the TMS-C300Ext can deliver and pick-up S-Cart300 in "free space".

Works with

Robot



MiR250

Cart



ROEQ S-Cart300

Specifications

Size

560x1200x70 mm



Payload

300kg/660lbs



Length including

E-stops 1260mm



Features

Pick-up in "Free Space"



Easy access to Emergency stop



Top Module

TMC300

Designed for the MiR100/MiR200/MiR250* to support internal transport of pallets, skids, boxes etc. with Cart300.

The top module is designed to be used with two different docking interfaces: "Precision" and "Easy-Pull-Out".

*with AM250

Works with

Robot



MiR100

Robot



MiR200

Robot



MiR250 with AM250

Cart



Cart300

Specifications

Size

800x600x70mm



Payload

MiR100: 150kg/330lbs

MiR200/250: 300kg/660lbs



The top module locks the cart during transport



Features

Fits "Precision" docking system



Fits "Easy-Pull-Out" docking system



ROEQ

TMC300Ext

Designed for the MiR100/MiR200/MiR250* to support internal transport of pallets, skids, boxes etc. with Cart300. The pallets etc. can have a lengths up to 1,2m. The top module is designed to be used with two different floor mounted docking interfaces: "Precision" and "Easy-Pull-Out".

*with AM250

Works with

Robot



MiR100

Robot



MiR200

Robot



MiR250 with AM250

Cart



Cart300

Specifications

Size

560x1200x70mm



Payload

MiR100: 150kg/330lbs
 MiR200/250: 300kg/660lbs



The top module locks the cart during transport



Features

Fits "Precision" docking system



Fits "Easy-Pull-Out" docking system



Top Module

TMR150

Designed for the MiR100/MiR200/MiR250* to support internal transport of pallets, skids, boxes etc. with Rack150.

The top module is designed to be used with docking interfaces: "Easy-Pull-Out".

*with AM250

Works with

Robot



MiR100

Robot



MiR200

Robot



MiR250 with AM250

Rack



Rack150

Specifications

Size

800x600x70mm



Payload

MiR100: 50kg/110lbs

MiR200/250: 150kg/330lbs



The top module lifts the rack during transport



Features

The rack is lifted from the ground during transport



Fits "Easy-Pull-Out" docking system



ROEQ